

[Web Images Videos Maps News Shopping Gmail more ▼](#)
[nguyenvanhua1992@gmail.com](#) | [My Account](#) | [Sign out](#)

Google scholar

performance-based and interface and event ar

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
Scholar
Articles and patents
anytime
include citations
Results 1 - 100 of about 326. (0.24 sec)

[PDF] Differential data protection in dynamic distributed applications

P Widener, K Schwan, F Bustamante - Annual Computer Security Applications ..., 2003 - CiteSeer
 ... The player application incorporates a control **interface** which can install **filters** on the **event** channel connecting the two hosts. ... **event** ... work bears similarity to BBN's Quality Objects[29] in its aspiration to apply a general policy (whether more traditional **performance-based** QoS or ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 18 versions](#)

Expert system process flow

EN Cookmeyer, RJ Stana - US Patent 6,363,384, 2002 - Google Patents
 ... Stamp T 126 130 Assign Frame Number T **Filter** Network Frames Network Frame 128 T Sensed Statistics , \ Netw Statis Messc ork tics ige t Capture Filtered Frames & Store Statistics Query Message Line **Interface** Network Statistics Line **Interface** Statistics **Handler** Store History ...

[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

A quality of service architecture- [psu.edu](#) [PDF]

A Campbell, G Coulson, D Hutchison - ACM SIGCOMM Computer ..., 1994 - portal.acm.org
 ... A crucial aspect of a QoS enhanced communications service is the **interface** at which desired levels of ... from the lower layers ; • adaptation_t identifies actions to be taken in the **event** of violations ... These **performance-based** metrics are likely to vary from one application to another. ...

[Cited by 480](#) - [Related articles](#) - [All 19 versions](#)

Event filtering at a performance-based interface

SM Demsey, CW Lorton, JA De Guerre, DC ... - US Patent App. 10/ ..., 2004 - Google Patents
 ... [0035] Such a **performance-based interface** 302 can exist ... At 402, the framework customizes attach and detach processes. At 404, the frame- work signals the native **interface** layer of the status of the attach/detach process, ie, that an **event handler** has been attached or ...

[All 2 versions](#)

[PDF] ATLAS TDAQ Integration and Commissioning

J Zhang - cdsweb.cern.ch
 ... Results on system functionality and **performance based** on the cosmic data will be presented. ... The Central Trigger in- cludes the Central Trigger Processor (CTP) and the Muon- to-CTP-**Interface** (MUCTPI ... The SFIs then send the complete **events** to the **Event Filter** nodes (EFD/PT ...

[View as HTML](#)

[PDF] Quality-controlled Information Flows in Heterogeneous Systems

K Schwan, L Daley, G Eisenhauer, J Jancic, C ... - cse.spsu.edu
 ... by specific devices and applications that use them, and (3) meeting non- **performance-based** constraints, such ... Ivan B. Ganey: "Extension **Interface** for Communication-Related Computations" ... and (4) enabling reductions in the frequency of control transfers with **event**-specific call ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[The ATLAS Read-Out System Performance with first data and perspective for the ... - cern.ch \[PDF\]](#)
G Crone, D Della Volpe, B Gorini, B Green, M ... - The 1st International ..., 2009 - cdsweb.cern.ch
... ork **Event Filter** L2-Trigger ROD ... **Buffers events** during the decision latency of the Second-Level Trigger and the time required for building of **events** accepted by L2 • The optical link is based on the S-LINK **interface**: 32 bit @ 40MHz = 160 MB/s GE NIC ... PPC **Event** store ROBIN ...
[View as HTML](#)

[The measured performance of personal computer operating systems- psu.edu \[PDF\]](#)
JB Chen, Y Endo, K Chan, D Mazieres, A Dias, ... - ACM Transactions on ..., 1996 - portal.acm.org
... Gather statistics for the applications. — Explain application **performance based** on microbenchmark results and ... MS-DOS **interfaces** under a UNIX operating system. ... 3.2 The Pentium Counters We made our measurements using **event** counters implemented in the Intel ...
[Cited by 95](#) - [Related articles](#) - [Bib. Direct](#) - [All 41 versions](#)

[\[PDF\] -A Distributed Multi-Agent Framework for Intelligent Environments](#)
C HANNON, L BURNELL - iijsci.org
... **Performance Based Models** ... **Event** class diagrams are shown in Figure 6. Data manipulation **events** correspond to standard updates in the relational ... in an application used to predict television-viewing patterns by a particular member of the household, **interface** nodes collect ...
[Related articles](#) - [View as HTML](#)

[\[PDF\] -Introduction to multithreading and multiprocessing in the FreeBSD SMPng network ...](#)
RNM Watson - Proceedings of EuroBSDCon, 2005 - Citeseer
... ad- dition of each processor, we predict an improve- ment in **performance based** on each ... The netisr will processed queued routing socket **events** asynchronously, delivering them to waiting sockets. ... mtx Cloning network **interface** data disc mtx, faith mtx Synthetic **interface** lists gif ...
[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[Software Design Considerations for Real-Time DSP Systems](#)
RT Facilities, T Based, R Scheduling, E ... - Noise reduction in ..., 2002 - books.google.com
... The interrupt **handler** prioritizes the interrupts and saves them in a queue if more than ... as" round robin"(a technique for scheduling tasks based on a period **event** to trigger a ... application can access the kernel code and data via application program- ming **interface** (API) functions. ...
[Related articles](#)

[\[PDF\] -Self managed cell: A middleware for managing body sensor networks](#)
SL Keoh, N Dulay, E Lupu, K Twidie, AE Schaeffer- ... - Proceedings of the 4th ..., 2007 - Citeseer
... view for interaction with managed resources as they may use different **interfaces** for communication ... M EASUREMENTS This section presents an initial evaluation of the SMC's **performance based** on a ... However, it seems that by requiring an **event handler** on each BSN sensor ...
[Cited by 13](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[A unified hardware/software runtime environment for FPGA-based reconfigurable ... - psu.edu \[PDF\]](#)
HKH So, R Brodersen - ACM Transactions on Embedded Computing ..., 2008 - portal.acm.org
... to stdout also enables printing messages to the screen in response to certain hardware **event**. ... to complex hardware constructs such as adder, multiplier and finite impulse response (FIR) **filter**. ... all kernel communications, includ- ing the hardware file I/O and the IOREG **interface**. ...

[Cited by 26](#) - [Related articles](#) - [All 18 versions](#)

[\[PDF\] On the performance of a survivability architecture for networked computing systems](#)

W Harrison, A Krings, N Hanebutte, M McQueen - PROCEEDINGS OF THE ..., 2002 - Citeseer
... Figure 4 presents the **event** chain of a typical attack and the specific architectural component that is ... 4. The time it takes the Remote Agent **Interface** to take appropriate action is denoted taction. ... since now the survivability action has been finished, eg a packet **filter** has been ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [BI Direct](#) - [All 6 versions](#)

[\[PDF\] Trace-based performance simulation of large-scale applications](#)

MA Hermanns - juwel.fz-juelich.de

... This thesis is organized as follows: Chapter 2 introduces the Message Passing **Interface** MPI, which is widely used as the communication paradigm in many parallel scientific applications today. Additionally, it gives a short presentation of **event**-based performance analysis and ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] Performance of a Stirling Engine Powered Heat Activated Heat Pump](#)

WDC Richards, WL Auxer - ... Engineering Conference, 13th, San Diego, Calif., ..., 1978 - ornl.gov
... the HAHP has both a higher capacity output and a higher coefficient of **performance** (based upon primary ... of the control system are to provide for proper sequencing of **events** so that ... **INTERFACE** PANEL -REFRIGERANT AND HYDRONIC LOOPS CONTROLS COMPARTMENT ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Firewall propagation](#)

J Blaisdell, T Vuong - 2008 - freepatentsonline.com

... 5. Dependencies. Implementation of this product has the following dependencies: IP stack, which provide hooks into packet receiving/sending **interface**. ... When **event** trigger change in profile status. ... Turn it over to another external **handler** (providing **filter** id). ...

[Distributed software system visualization](#)

Z Cui, BR Odgers, M Schroeder - US Patent 7,155,715, 2006 - Google Patents

... module IDL-ACL **Handler** ACL Message Handler Process JI Response ACL-IDL message Wrapper Contents **Handler** VDR "415 ... changes sent to VDR (**Events**) 305 Fig. 6. 6(620—DO \ Incoming **Events** from ARMS **Interface** to VDR store — 610 — -615 **Event Filters** Comms ...

[All 6 versions](#)

[A Performance Indicator for Students' Discussion in Internet Forum for Information ... - um.edu.my \[PDF\]](#)

CW Mee, Z AB - 2007 - eprints.um.edu.my

... is a number of assessment criteria stated in the literature such as assess students' **performance based** ... The external **events** might be a keyboard or mouse operation, or a timer **event**. ... authors choose to discuss the insertion of new features from the user **interface** perspective of ...

[Related articles](#) - [View as HTML](#)

[The development and evaluation of exception handling mechanisms for order ... - nsysu.edu.tw \[PDF\]](#)

F Lin, H Chang - Proceedings of the 7th international conference on ..., 2005 - portal.acm.org

... to model LCD supply chain and evaluates the exception handling **performance based** on BP4L4WS ... In BP4L4WS specification, the scope defines the behavior, such as fault **handler**, **event handler**, a compensation ... In this research, the proposed mechanism provides an **interface** ...

[Cited by 2](#) - [Related articles](#) - [All 3 versions](#)

Time and work tracker

A Skinner, MG Lehman - US Patent 5,696,702, 1997 - Google Patents

... how this work should be categorized by project and task with project; and external **interface** means for ... 9, 1997 Sheet 5 of 12 600 PURGE **EVENT** BUFFER TO FILE 612 RESET ... WINDOWS BUSY FIG.-7C f10f1 X (DRAGHOOKJ INITIALIZE •806 INSTALL KEYBOARD **FILTER** x-f10f1 ...

[Cited by 35](#) - [Related articles](#) - [All 2 versions](#)

[PDF] •Flow Management in a Quality of Service Architecture

A Campbell, G Coulson, D Hutchison - IFIP INTERNATIONAL CONFERENCE ..., 1994 - Citeseer

... A crucial aspect of a QoS enhanced communications service is the **interface** at which desired levels of ... from the lower layers; • adaptation_t identifies actions to be taken in the **event** of violations ... These **performance-based** metrics are likely to vary from one application to another. ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[PDF] •Integration of structural and performance-oriented control in flexibly automated ...

DA Bodner, J Park, SA Reveliotis, LF McGinnis - Proceedings of the IEEE/ ..., 1999 - Citeseer

... Control domains contain **interfaces**, or shared locations, for purposes of job transfer to other ... Thus, a controller's logic integrates both **performance-based** and structural control considerations. ... other controllers, the control logic for FS acts as an **event-handler**, receiving message ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[PDF] •Towards autonomic networks

AV Konstantinou - 2003 - Citeseer

... over the transactional Modeler **interface**. The modeler exports **event** publish/sub- scribe mechanisms supporting synchronous notification within the context of the ... tional **interface**. Modeler **events** are exported over a publish/subscribe **interface**. ...

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

•Detecting targeted attacks using shadow honeypots

KG Anagnostakis, S Sidiroglou, P Akritidis, K Xinidis, E ... - unix.org

... For high-volume **events**, such as a Slammer-like outbreak, the system will detect a large ... Based on these results, we determine how to tune the anomaly detection heuristics in order to ... used as a simple forwarder/router, which is sufficient to saturate a Gigabit Ethernet **interface**. ...

[Cited by 92](#) - [Related articles](#) - [Cached](#) - [All 44 versions](#)

[PDF] •An Evaluation of messages-based Systems Integration with respect to Performance

TF Smaavik, NT Øvstetun - daim.idi.ntnu.no

... 66 9.1 Algorithm for sending **event** messages Ro et al. [23] have identified a list of advantages Web service-based methods have: • Standard **interface** support • Data exchange among heterogeneous systems • High reliability, extensibility and security ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[PDF] •TECHNOLOGIES ENABLING AGILE MANUFACTURING (TEAM) INTELLIGENT ...

ICL PROCESSING - Citeseer

... which a module can run in a controller based on another platform, but unlike portability, scalability allows different **performance based** on the ... Logic control modules provide an **interface** to the task coordinator module that allow status and **event** transition information ...

[View as HTML](#) - [All 2 versions](#)

[\[PDF\] -Decentralized Strategies for Monitoring Structures using Wireless Smart Sensor ...](#)

SH Sim, BF Spencer Jr - Status: published or submitted for publication, 2009 - ideals.illinois.edu
... SUBasicLeaf or SUFaultToleranceLeaf: **interface** for leaf node o command init initializes
SensingUnit o command stop terminates the operation of SensingUnit in the leaf node o
event handler done is triggered when SensingUnit completes its task ...

[View as HTML](#)

[XPORT: extensible profile-driven overlay routing trees- \[psu.edu\]\(#\) \[PDF\]](#)

O Papaemmanouil, Y Ahmad, U Çetintemel, J ... - Proceedings of the ..., 2006 - portal.acm.org
... and cost functions, and (ii) its ability to adap- tively optimize system **performance based** on user ...
Figure 2) to demonstrate XPORT's features in addition to the user **interfaces** of the ... of interest',
and denotes the player's profile against which XPORT should match incoming **events**. ...

[Cited by 1](#) - [Related articles](#) - [All 14 versions](#)

[\[PDF\] -Duluth Entertainment Convention Center \(DECC\) Special **Events** Traffic Flow Study](#)

N Zhang - 2004 - d.umn.edu

... near the DECC. The Global Positioning System (GPS) test vehicle technique is used to collect
after **events** travel time data. The data received are immediately processed by a Kalman **filter**
via the filtering and estimation techniques. Based on the current data Page 6. IV ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[System for monitoring and reporting performance of hosts and applications and ...](#)

MW Masters, PV Werme, WD Synan, LR Welch... - US Patent 7,051,098, 2006 - Google Patents
Page 1. US07051098B2 (12) United States Patent Masters et al. (io) Patent No.:
US 7,051,098 B2 (45) Date of Patent: *May 23, 2006 (54) SYSTEM FOR
MONITORING AND REPORTING PERFORMANCE OF HOSTS AND ...

[All 2 versions](#)

[Transactional memory coherence and consistency- \[psu.edu\]\(#\) \[PDF\]](#)

L Hammond, V Wong, M Chen, BD Carlstrom, ... - Proceedings of the 31st ..., 2004 - portal.acm.org
... 2 illustrates how most important transaction sequencing **events** can be handled using phase
numbers ... at the beginning of each transaction, or in software, by executing a small **handler** to flush ...
The **interface** between this buffer and the system network should have a small "commit ...

[Cited by 333](#) - [Related articles](#) - [BL Direct](#) - [All 53 versions](#)

[\[PDF\] -Scalable Test Solutions: A Means of Improving ASIC Performance and Time-to- ...](#)

B Schneider - Proceedings of the Fifth Workshop on Electronics for ..., 1999 - Citeseer
... for test generation, and a comparison is shown for A/D converter **performance based** upon SPICE ...
may be difficult to honour, if the instruments used are disassembled between test **events**. ... Through
an easy-to-use, internet browser- based **interface**, the user can get access to the ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[Device driver access method into a virtualized network **interface**](#)

S Muller, A Hendel, Y Gajjar, M Wong - 2008 - freepatentsonline.com

... 5. The method of claim 4 wherein: the independent **event** notification provides fine grain
management of network **interface** resources. ... 13. The apparatus of claim 12 wherein: the
independent **event** notification provides fine grain management of network **interface** resources. ...

[Related articles](#)

Software Design Considerations for Real-Time DSP Systems

M Ill - Noise Reduction in Speech Applications, 2002 - books.google.com

... application can access the kernel code and data via application program- ming **interface** (API) functions. ... this time is called" interrupt latency," and measures the responsiveness to external **events** via the ... DSP control software is a prime target for **performance-based** optimizations ...

[Related articles](#)

[PDF] Agent-based Workflow Management using XMPP and CARTAGO

K Heery - agentfactory.com

... Page 19 of 131 managing these conversations, while also providing a graphical user **interface** for runtime knowledge acquisition and debugging. ... This functionality is provided by ensuring that all such mobile agents extend a common **interface** defined simply by the Aglet class. ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

Embedded system for construction material tracking using combination of radio ... - umd.edu [PDF]

WS Jang - 2007 - lib.umd.edu

... 41 Figure 3.4: MIB510 **interface** 42 ... 74 Figure 4.8: Discrete Kalman **filter** cycle: two phases of Predict and Correct..... 79 ... 122 Figure 5.14: Example code for RFDetectMsg **event** 123 ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

Distributed artificial intelligence testbeds- umass.edu [PS]

KS Decker - Foundations of Distributed Artificial Intelligence, 1995 - books.google.com

... The DVMT, for example, used a hierarchical, **event-based** trace structure that allowed groups of ... Automated tools for analyzing DVMT **performance based** on a simple model of blackboard-based ... and logging data based on demon and imp requests, and user-**interface** agents for ...

[Cited by 31](#) - [Related articles](#) - [All 4 versions](#)

Rainbow: Architecture-Based Adaptation of Complex Systems

D Garlan, B Schmerl - 2005 - Storming Media

... **Performance-based** Adaptation of a Web-based Client-Server System ... To bridge the gap between low-level monitored **events** and architectural properties we use a system ... An architectural style typically defines a set of types for components, connectors, **interfaces**, and properties ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[PDF] The Measured Performance of Computer Operating Systems

J BRADLEY, Y CHEN, KEEC ENDO, D ... - ACM Transactions on ..., 1996 - Citeseer

... Gather statistics for the applications. — Explain application **performance based** on microbenchmark results and ... MS-DOS **interfaces** under a UNIX operating system. ... 3.2 The Pentium Counters We made our measurements using **event** counters implemented in the Intel ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[PDF] Marine mammal marker (mammark) dead reckoning sensor for in-situ ...

GH Elkaim, EB Decker, G Oliver, B Wright - Proc. of the ION/IEEE PLANS, 2006 - Citeseer

... Subsection IV-D, which elaborates on the Kalman **filter** implementation in order to feed ... The GPS engine implements the actual state machine that generates appropriate GPS **events** for use ... Communica- tion Control," provides a generic packetized multi-port serial **interface** to the ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[PDF] [Development of a marine mammal marker \(mammark\) for in-situ environmental ...](#)
GH Elkaim, EB Decker, G Oliver, B Wright - ... of the ION National Technical Meeting, ... - Citeseer
... coupled with "Communication Control," provides a generic packetized multi-port serial **interface**
to the ... for marking any data structures to allow for detection of the **event** and subsequent ... This
trajectory reconstruction is based on a dead reckoning **filter** that uses the magnetometer ...
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[Network time and work tracker](#)

GR Skinner, MG Lehman - US Patent 5,963,914, 1999 - Google Patents
... constitutes continuous work activities, and how this work should be categorized by project and
task with project; and an external **interface** for building ... WINDOWS ^1H ^114 i J DOS APPLICATION
J L 7-^ i 1 r ^-11i #2 DRAGNET ' KEYBOARD / MOUSE **FILTER**, -720 MICROSOFT ...
[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

[Software-based architecture for communication and cooperation among distributed ...](#)

AJ Cheyer, DL Martin - US Patent 6,851,115, 2005 - Google Patents
... US Patent Feb. 1, 2005 Sheet 2 of 16 US 6,851,115 B1 200 **Interface** Specific Invocation Orb
Request Transparent Response IDL **Interface** Response IDL **Interface** Server Object Methods
Data Client Object Methods Data Distributed Computing Environment Fig-2 (Prior Art) ...
[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

[Method and Apparatus for Synthesizing Hardware Counters from Performance ...](#)

N Kosche, K Tracton - 2008 - freepatentsonline.com
... to select data objects to display, zooming and position options, binning (aggregation) functions,
filter clauses, etc. ... noted at 155, the use of the analysis engine and graphical user **interface** thereof
may allow a user to identify data motion bottlenecks from the **event** space data ...

[Archetype-based design: Sensor network programming for application experts, not ...](#) - [northwestern.edu](#)

[PDF]
LS Bai, RP Dick, PA Dinda - ... of the 2009 International Conference on ..., 2009 - portal.acm.org
... It corresponds to applications that periodically sample and transmit raw data, or **filter** and ag ... fied
to generate Python code that creates sampling, process- ing, and data collection **events**. ... An user
interface was also devel- oped for WASP, providing a simple programming environ ...
[Cited by 2](#) - [Related articles](#) - [All 8 versions](#)

[\[PDF\] -Dynamic Offloading Infrastructure for Programmable Devices](#)

M Grabarnik - 2007 - Citeseer
... to the host. Diamond applications can install **filters** at the active disk for eliminating data. ... card.
The internal **interfaces** are given as methods that create active messages, so a **handler** ... All
extension invocations are executed as a result of an **event** (a message arrival). There ...
[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] -VUW](#)

M Kiernan - Citeseer
... 36 6.2.1 Bloom **filters** . . . software are described in section 4.0.5. What differentiated this software
system was the particularly in- teresting user **interface**. ... During the design stage, a distributed **event**
notification framework and tangible architec- ture was devised to directly address ...
[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] Mars base technology program overview](#)

CC Chu, SA Hayati, S Udomkesmalee, DB ... - AIAA Space 2005 ... - [marstech.jpl.nasa.gov](#)
... a model-based navigation algorithm consisting of regulated banks of **filters** offering robustness to ... The Mechanized Sample **Handler** (MeSH) effort is developing a miniature end-to-end ... incorporated into a single ASIC including microprocessor, memory, C&DH **interface**, discrete ...
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[Maintenance operations console for an advanced intelligent network](#)

SP Duiman - US Patent 5,802,146, 1998 - Google Patents
... netwOrks using TCP/IP ordinary telephone service «dls there wouW be no **event** to M ... can be used to perform disaster mines me priority of the node **performance based** on the ... software module, or loading new MTB objects for presentation on a graphic user **interface** software into ...
[Cited by 76](#) - [Related articles](#) - [All 4 versions](#)

[\[PDF\] Literature Survey: Software Performance Estimation](#)

J Russell - 2001 - [ece.utexas.edu](#)
... techniques. 4) Performance estimation must be done dynamically to capture runtime task interactions 5) List four techniques for software performance estimation a) **Filter** information between ISS and hardware simulator. (Precise ...
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[BOOK\] Hire with your head: using performance-based hiring to build great teams](#)

L Adler - 2007 - [books.google.com](#)
... Structured Interviews Used in the **Performance-based** Hiring Process 277 Charles A. **Handler**, PhD C ... Finding the correct criteria for as- sessing talent was how **Performance-based** Hiring came into being. ... So if a company advertises and **filters** totally on skills, the best are wrongly ...
[Related articles](#) - [All 3 versions](#)

[Algorithms tuning for dynamic lot dispatching in wafer and chip probing](#)

TC Lin, YF Huang, FK Lai, JC Hsiao - US Patent App. 10/672,403, 2003 - Google Patents
... for tester utilization, minimum setup time and maximum throughput dispatching **performance Based** on MPS ... special situations entered into an exception rule control Graphic User **Interface** (GUI) in ... Two kinds of excep- tion **events** are capacity allocation for special assignment ...
[Related articles](#) - [All 4 versions](#)

[\[PDF\] An Extensible Component-Based Architecture for Web-Based Simulation Using ...](#)

DS Myers - Master of Science Thesis, Submitted to the Faculty of 2004 - CiteSeer
... 66 6.3.3.1 SVG as an **Interface** Description Language ... 91 6.9.1 Statistics Collection Component.....91 6.9.2 Message **Filter**.....92 6.10 W EB QS3 V ...
[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[Unified messaging methods and systems for communication and cooperation ...](#)

AJ Cheyer, DL Martin - US Patent 6,691,151, 2004 - Google Patents
... data. Utilizing an Open Agent Architecture, the present invention allows a user to receive multiple information types, such as email, voicemail, and multimedia data, utilizing a single user **interface**, such as a phone. Communication ...
[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

[PDF] [MASCOT: a Model-based Automatic Software Compensation Toolkit for Feedback ...](#)

PE Missiuro - 2000 - Citeseer

... 65 5.4.1 **Event** model 65 5.4.2 **Interfaces** and abstract classes 65 5 Page 6. 5.4.3 Why Java? 66 6 Graphical User **Interface** (GUI) 67 6.1 Application & Applet

[Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[PDF] [PROTOFLEX: FPGA-accelerated Hybrid Functional Simulation](#)

ES Chung, E Nurvitadhi, JC Hoe, B Falsafi, K Mai - 2007 - Citeseer

... 4 tions that are within 10% (30% for TPCC apps2) of ideal **performance based** on CPI estimates for ... Second, long-latency **events** such as ac- cesses to main memory or transplant execution can be ... the left is a Xilinx XUP demo board with an FPGA, Ethernet **interface**, and memory ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

[PDF] [Efficient scheduling on multiprogrammed shared-memory multiprocessors](#)

A Tucker - . . . , Department of Computer Science, Stanford University, 1993 - reports.stanford.edu

... 51 6.2.2 Communicating **Events** to Applications ... A.2 Library **Interface** : : : : 81 ... 3.5 Efficiency of applications when running with two and four processes, compared with "ideal" **performance based** on execution times running with one process. : 22 ...

[Cited by 56](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[Design of the x-kernel](#)

N Hutchinson, L Peterson - Applications, Technologies, Architectures, . . . , 1988 - portal.acm.org

... To be useful as a testbed in which protocol performance can be accurately measured, the x-kernel's uniform proto- col **interface** must be as efficient as ... The kernel supports an **event** manager that allows a session to schedule one of its proce- dures to be called at some future time ...

[Cited by 64](#) - [Related articles](#) - [All 3 versions](#)

[PDF] [Tutorial Measuring and Modeling System Performance](#)

G Muller - Citeseer

... with code that looks like the code in Figure 1.1. How do we predict or estimate the expected **performance based** on this ... application need: at **event** 3*3 show 3*3 images instantaneous design design ... Figure 1.2, where the retrieve_image function is part of a user **interface** process. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Techniques for server-controlled measurement of client-side performance](#)

S Viavant, A Farooq, J Marfatia, M Shukla - US Patent App. 09/945,160, 2001 - Google Patents

... [0009] One approach for service providers to obtain client- side performance measurements is to estimate the client-side **performance based** on running a ... 4A is a flowchart illustrating a first **event handler** included in modified content sent to a client accord- ing to an embodiment ...

[All 6 versions](#)

Editor: IEEE Fecha de edición: 2006- [uc3m.es](#) [PDF]

En este ítem - [e-archivo.uc3m.es](#)

... A handover to 3G can be triggered by two **events**, when the signal level goes ... The **interface** should be completely configured, with a global routable IPv6 address and default router ... **Based** on these results guidelines for thresholds configuration to achieve zero packet loss have ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Simulation and topology generation for large-scale distributed systems- ubc.ca \[PDF\]](#)

L Cheng - dspace.library.ubc.ca

... PlanetSim is another discrete-**event** overlay network simulation framework de- ... Page 30. cross links. As one router can have multiple **interfaces**, and thus multiple IP addresses, ... Our work differs from iPlane in that it calculates Internet **path performance based** on inferred Internet ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Network system including packet classification for partitioned resources](#)

S Muller, A Hendel, Y Gajar, M Wong, R ... - US Patent ..., 2009 - freepatentsonline.com

... FIG. 6 is an illustration of a mailbox and register-based interrupt **event** notification apparatus for separable, low overhead, scalable network **interface** service. In the shared memory environment of the asymmetrical processing ...

[Related articles](#)

[\[PDF\] Improved method for fluorescence cytometric immunohematology testing](#)

JD Roback, S Barclay, CD Hillyer - Transfusion, 2004 - 3tibio.com

... FC is summarized in Table 1. A minimum of 10,000 to 20,000 **events** were acquired ... Further analysis of FC assay **performance Based** on these promising results, we initiated a more ... Because the microplate **interface** is similar to typical ELISA readers, and compatible with robotic ...

[Cited by 8](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 8 versions](#)

[Advanced Memory Data Structures for Scalable Event Trace Analysis- slub-dresden.de \[PDF\]](#)

DMA Knüpfer - deposit.ddb.de

... The thesis presents a contribution to the analysis and visualization of computational **performance based on event** traces with a ... It **filters** irrelevant fluctuations below an adjustable threshold. This enhances the regularity of the **event** data which is beneficial for the first stage of ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

[\[BOOK\] Embedded media processing](#)

DJ Katz, R Gentile - 2005 - books.google.com

... 4: System Resource Partitioning and Code Optimization 703 Introduction 103 **Event** Generation and ... 156 PS (Inter-IC-Sound) 158 SPI (Serial Peripheral **Interface**) 158 DACs ... Data On-the-Fly 270 Programming Ease Trumps Performance 273 **Performance-Based** Framework 276 ...

[Cited by 15](#) - [Related articles](#)

[\[PDF\] A modular SLP directory agent leveraging backend functionality for high ...](#)

L Breu, JS Rellermeyer, G Alonso - 2009 - e-collection.ethbib.ethz.ch

... stable and productively deployable di- rectory agent providing high scalability and **performance based** on a ... and presentation (allowing a device to present a graphical **interface** to the ... messages several times with exponentially increasing time periods between each send **event**. ...

[View as HTML](#)

[\[PDF\] B. SC.\(INFORMATION TECHNOLOGY\)](#)

H Marks - Citeseer

Page 1. 1 B.SC.(INFORMATION TECHNOLOGY) SYALLABUS SEMESTER 1 Subject Introduction to Information theory and applications Mathematics I Introduction to Digital electronics Digital Computer Fundamentals Introduction to Programming ...

[Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[PDF] [REFLECTIVE COMMUNICATIONS FRAMEWORK: AN APPROACH TO RAPID ...](#)

JFA KAMATH - 2009 - mil.ufl.edu

... structure of the communications framework. It operates on an **event** driven model to separate the ... developers of **performance-based** applications. Page 18. 18 ... implementation details from the developer. This serves to provide a common **interface** that ...

[View as HTML](#)

[PDF] [EDPEPPS Tutorial](#)

S Randoux - Citeseer

... develop an integrated environment to support a rapid, effective and flexible **performance based** approach to ... are a programming library tailored to the special requirements of user **interface** construction within ... a window associated with it, that is why sometimes, an **event** must be ...

[Related articles](#) - [View as HTML](#)

[PDF] [Energy Impact of Commercial Building Controls and Performance Diagnostics: ...](#)

ES Potential - envtraining.org

Page 1. Page 2. i Energy Impact of Commercial Building Controls and Performance Diagnostics: Market Characterization, Energy Impact of Building Faults and Energy Savings Potential Prepared by Kurt W. Roth Detlef Westphalen Michael Y. Feng Patricia Liana ...

[Related articles](#) - [All 7 versions](#)

[PDF] [Programming wireless sensor networks: Fundamental concepts and state of the art](#)

L. Mottola, GP Picco - sics.se

... 1 **interface** AMSSend { 2 command error_t send(am_addr_t addr, message_t* msg, uint8_t len); 3 command error_t cancel(message_t* msg); 4 **event** void sendDone(message_t* msg, error_t error); 5 command uint8_t maxPayloadLength(); 6 command void* getPayload ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[A Multi-Function Digital Vehicle Console Based on Intelligent Collision Warning- ·ncku.edu.tw](#) [PDF]

JJ Lin - 2008 - etheisys.lib.ncku.edu.tw

... 31 3.2 IEEE 1616 Standard for Motor Vehicle **Event** data Recorders..... 32 ... 10 English etc. Figure 2-3: The **interface** of YULON – TOBE [9] ... As the vehicles follow the law of motion, they apply Kalman **Filter** to their motion and predict their locations for time series detection. ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[PDF] [Web page performance analysis](#)

TK Chiew - 2009 - theses.gla.ac.uk

... 209 2 Parsing of HTTP Requests and Responses by the Muffin Proxy Server 210 3 Response Time Measurement **Filter** for Muffin Proxy Server: The Source Code 212 ... 173 7.8 Proposed **Interface** for Comparison between Web Pages on the Usage of Database Queries 178 ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Time and work tracker with hardware abstraction layer](#)

GR Skinner, MG Lehman - US Patent 6,185,514, 2001 - Google Patents

... should be categorized by project and task with project; and an external **interface** for building ... 6,2001 Sheet 5 of 14 US 6,185,514 B1 700 PURGE \ **EVENT** BUFFER TO FILE ... WINDOWS BUSY END FIG.-7C 800 -802 DRAGHOOK -804 -806 INSTALL KEYBOARD **FILTER** 808 810 ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

[BOOK] [Pro Rfid in Biztalk Server 2006 R3](#)

M Beckner, M Simms, R Ventatesh - 2009 - books.google.com

... 89 Hands-On Exercises 93 **Event** Processing Application Model 114 Initialization 114 Design-Time Support 114 The Actual **Event Handler** Methods 115 Tear-Down and Cleanup 115 Deployment and Undeployment 116 Strong Typing 117 Error Handling 119 Binding and ...

[PDF] [Extended Policy-based Management Framework to Provide Always Best ...](#)

M Keshariya, R Hunt - 2009 - csc.canterbury.ac.nz

... Research Papers Presented/Published • Keshariya, M. and Hunt, R. A New Architecture for **Performance-based** Policy Management in Heterogeneous Wireless Networks, ACM ... Examples of such services are transparent sessions and always connected to the best **interface** ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[Method and apparatus for efficient profile matching in a large scale webcasting ...](#)

M Eichstaedt, Q Lu - US Patent 6,108,645, 2000 - Google Patents

... redundant pat- terns in user profiles and information content to improve matching **performance** based on a ... may because people have common interest, that is, dog owners use a **filter** to select ... comprise a large number of clients, where each client uses a user **interface** 102 that is ...

[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

[PDF] [DETECTING PROBLEMATIC EXECUTION PATTERNS THROUGH AUTOMATIC ...](#)

G MATNI, MPREEN VUE, DE L'OBTENTION - publications.polymtl.ca

... MPI : Message Passing **Interface** NIDS : Network-Based Intrusion Detection System ... **performance-based** properties to be validated in MPI and OpenMP traces. Similarly, ... 5. Multi-event-based patterns support: Some languages, such as the one used to write ...

[Related articles](#) - [View as HTML](#)

[TXT] [The protean active router architecture and a scalable router mechanism for load ...](#)

S Ha - 2000 - historical.ncstrl.org

... On the other hand, the **filter** has to keep track of the last I-frame that passed through ... the core network context to the user network context via triggering of the "input packet" **event**, the packet ... Services in the Protean **interface** interacts with one another through a shared state space. ...

[Related articles](#) - [Cached](#) - [All 6 versions](#)

[PDF] [OCRdroid: A Framework to Digitize Text Using Mobile Phones](#)

A Joshit, M Zhang, R Kadmwalat, K Dantut, S Podurit, ... - cres.usc.edu

... PocketReader is a personal mobile screen reader that combines the OCR capability and a text-to-speech **interface**. ... as a meeting schedule, the system can tag this **event** and set an alarm to remind user of this **event**. ... A WxW local box is defined to help **filter** out the noise dots ...

[Related articles](#) - [View as HTML](#)

[PDF] [CLEMENTINE: Naval Research Laboratory Lunar Orbiter](#)

P Regeon, J Chapman - AIAA Space Programs and Technologies Conference, ... - pxi.com

... and specification process; "make" components were procured using **performance- based** specifications emphasizing ... held accountable for developing and manu- facturing components meeting **interface** and perfor ... The characterized SRAM pro- vided a single **event** upset (SEU ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[PDF\] -J3. 2 EUROPEAN INITIATIVES FOR THE INTEGRATION OF METEOROLOGICAL ...](#)

A Mirza, B Lunnion, P Gill - ams.confex.com

... and NextGen a process to enable interoperability and harmonisation should arise if the **performance based** initiatives set ... a D-AIM Server, using a Web Feature Service (WFS) for its client **interface** and an ... and to ensure the safety of aircraft and passengers in the **event** of adverse ...

[Related articles](#) - [View as HTML](#)

[\[PDF\] -OCRDroid: A Framework to Digitize Text Using Mobile Phones](#)

M Zhang, A Joshi, R Kadimawalat, K Dantut, S Podurit, ... - www.scf.usc.edu

... PocketReader is a personal mobile screen reader that combines the OCR capability and a text-to-speech **interface**. ... as a meeting schedule, the system can tag this **event** and set an alarm to remind user of this **event**. ... A WxW local box is defined to help **filter** out the noise dots ...

[Related articles](#) - [View as HTML](#)

[Time and activity tracker with hardware abstraction layer](#)

GR Skinner, MR Lehman - US Patent App. 09/740,412, 2000 - Google Patents

... should be categorized by project and task with project; and an external **interface** for building ... 5 of 14 US 2001/0003172 AI 700 WINDOWS\ES PURGE \ **EVENT** BUFFER) TO ... 746 DECREMENT WINDOWS BUSY FIG.-7C 800 802 804 806 INSTALL KEYBOARD **FILTER** 508 810 ...

[All 4 versions](#)

[Systems and methods for analyzing machine failure](#)

C Le - US Patent App. 10/867,905, 2004 - Google Patents

... operation to the electrical parameter of the motor; and means for determining **performance based** on the ... component performance as a function of the frequency; and a user **interface** to display ... to aid in the recognition of patterns or the recognition of sequences of **events** that are ...

[All 3 versions](#)

[\[PDF\] -Controlling exposure to laboratory animal allergens](#)

DJ Harrison - ILAR JOURNAL, 2001 - escoglobal.com

... Implemen- tation may require extensive **interface** and commissioning requirements, significant initial maintenance ... when 30 rats were housed on woodchip bedding in **filter** top and ... Current **performance-based** standards emphasize efficient, cost-effective ventilation to ensure not ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 3 versions](#)

[Applying intelligent agent-based support systems in agile business processes](#)

CCHE HUANG - Intelligent Knowledge-based Systems: Business and ..., 2005 - books.google.com

... between servers, clients and other agents), and exception handling (monitor the execution of jobs and services for unexpected **events** and then react ... Establish an external **interface**. ... It has a particular size called " threshold," which is set for **performance based** on certain criteria. ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

[Collaboration and coordination in process-centered software development ... - psu.edu \[PDF\]](#)

P Barthelmess - Information and Software Technology, 2003 - Elsevier

... This mediation is based on runtime support for actual work **performance based** on formal representations of work. ... Rules usually specify an **event** causing their activation, a guarding condition and an action to be taken in case the condition is true. ...

[Cited by 21](#) - [Related articles](#) - [All 6 versions](#)

Architectural Characterization of an XML-centric Commercial Server Workload

M Stanley - csdl.computer.org

... **Based** on our analysis, we were able to identify the architectural characteristics on a per component basis. ... Attribution of **events** to code locations - Call graph analysis - Hot spot ... It does this through an Excel spreadsheet **interface**, which facilitates easy use manipulation. ...

[Related articles](#)

[PDF] Automatic Adaptation of Tunable Distributed Applications

F Chang - 2001 - Citeseer

... such as function invocation, message passing, **event** triggering, and remote procedure call (RPC). ... Odyssey provides an API **interface** for applications communicating with the warden. ... as a **filter** on the path of the data transmission and can take advantage of type-related ...

[Related articles](#) - [View as HTML](#) - [All 9 versions](#)

Time and activity tracker

GR Skinner, MG Lehman - US Patent App. 10/063,768, 2002 - Google Patents

... should be categorized by project and task with project; and an external **interface** for building ... 12,2002 Sheet 5 of 14 US 2002/0128803 AI 700 /PURGE (**EVENT** BUFFER \ TO ... END FIG.-7C SOO (DRAGHOOK 802 •804 INITIALIZE •806 INSTALL KEYBOARD **FILTER** •808 INSTALL ...

[Related articles](#) - [All 4 versions](#)

High-performance commercial building systems

S Selkowitz - ... Berkeley National Laboratory. Retrieved from: [http:// ...](http://...), 2003 - escholarship.org

... We developed a web-based user **interface** for energy and maintenance systems called Tenant **Interface** for Energy and Maintenance Systems ... EMCS) to recommend what maintenance personnel should do in response to a maintenance service request or other **event** requiring a ...

[Cached](#) - [Library Search](#) - [All 5 versions](#)

[PDF] Electron/photon Identification and Standard Model Higgs Process Studies at the ...

VP Reale, L der Arbeit, K Pretzl - pp.rhul.ac.uk

... The ATLAS trigger is performed in a three level selection: Level1, Level2 and the **Event Filter**; the last two are viewed as the High Level Trigger. ... 30 4.3.3 The **Event Filter** Trigger 31 4.4 **Event** Selection Software

[Related articles](#) - [View as HTML](#)

Temporal search: Detecting hidden malware timebombs with virtual machines- *psu.edu [PDF]

JR Crandall, G Wassermann, DAS de Oliveira, ... - ACM SIGARCH ..., 2006 - portal.acm.org

... These may or may not be checking predicates for interesting **events**, such as cron jobs ... This was due to **performance-based** phase behavior noise ... For these experiments the emulator ran on a host (192.168.33.1) to which it was connected with the tuntap **interface** (local emulation ...

[Cited by 19](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

DEP: detailed execution profile- *psu.edu [PDF]

Q Zhao, JE Sim, WF Wong, L Rudolph - Proceedings of the 15th ..., 2006 - portal.acm.org

... DynamoRIO provides a program- ming **interface** for a client to manipulate the code in ... Thanks to DynamoRIO, Adept can profile **events** for dynamically generated code and self- modified ... track of self-modifying code execution, DynamoRIO uses its own signal **handler** to intercept ...

[Cited by 5](#) - [Related articles](#) - [All 15 versions](#)

[PDF] [Deep Space Mission System \(DSMS\) Services Catalog](#)

WS Tai - Version - [deepspace.jpl.nasa.gov](#)

... 10-6 10.6.1 CFDP User **Interface** Tools..... 10-6 10.6.2 On-Board CFDP **Handler**.....

10-6 ... 12-3 12.2.1 **Performance-based** Non-recurring Costs..... 12-3 ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Support for time-sensitive applications via corporate polling](#)- [ubc.ca](#) [PDF]

M Saubhasik - [dspace.library.ubc.ca](#)

... 58 vi Page 7. List of Figures 2.1 Application scheduler API 8 2.2 **Event** type definition 9 2.3

Application-level **event** scheduler 11 2.4 CoopYoll **Interface** 13 2.5 Using the coop.poll system call for inter-application cooperation 14 2.6 State diagram for the task states 21 ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Making distributed applications manageable through instrumentation](#)- [uwo.ca](#) [PDF]

MJ Katchabaw, SL Howard, HL Lutfiyya, AD ... - The Journal of Systems & ..., 1999 - Elsevier

... Communications knowledge source: The communications knowledge source provides an **interface** for management information and **event** notifications from the instrumented application. The knowledge source contacts the ...

[Cited by 53](#) - [Related articles](#) - [All 11 versions](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [Next](#)

performance-based and interface a

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google